PART II

HERBAL PRACTICES & PRODUCTS

This section contains details of herbal preparations used traditionally for various ailments and products based on such traditional knowledge.



Uses of Achyranthes aspera L. (Apang)

NIF Database

Uses from West Bengal

Toothache

pepper seeds is applied on the aching tooth Paste prepared from roots along with three black

Susanta Kumar Manjhi, Birbhum, West Bengal

Constipation

Chewing of roots is useful

Ambika Singh Sardar, Purulia, West Bengal

Whole plant's paste is applied topically

Satyen Chatterjee, Murshidabad, West Bengal

Uses from other states

Toothache

Teeth are brushed with freshly plucked roots Bhagvat Prasad Yadav, Nawada, Bihar

Dried branches are burnt into ash, which is taken orally

Chandrasingh Chaudhary, Nandurbar, Maharashtra

Powdered root (5g) is taken orally with water twice a day for seven days

Indira Kumari, East Champaran, Bihar

Fever

fine powder, which is administered orally Roots (5g) are ground with half black pepper into a

Rajkishor Prasad, Sheohar, Bihar

the powder is taken empty stomach till cured Vishwanath Mahato, East Champaran, Bihar Dried roots are ground into a fine powder; one spoon of Hemorrhoids

Headache

roots; one tablet is taken in the morning with water for three days Tablets (of about 5g) are prepared from the pounded

Jagjit Bahadur, Sitapur, Uttar Pradesh

Abscess

Root paste is applied on the abscess -Ravi Uraav, Hazaribag, Jharkhand

Veterinary practice

Topical inflammation

Plant paste is applied externally on topical inflammation Sheikh Hifazat Hussain, East Champaran, Bihar

Uses in Classical Codified Literature

laxative³; decoction of the plant is applied externally on boils and pimples³. powder made from the dried plant is given orally to treat Dried aerial parts are taken orally in case of diabetes1; whooping cough2; decoction of the plant is used as

like oxalic acid, calcium hydroxyproline and prevents curing laryngopharyngitis⁵, bronchial asthma⁶ etc. urinary tract infections. Thirty-five patents have been calculogenesis by reducing stone-forming substances tound on the medicinal applications of Achyranthes to Product 'Cystone'4 is made from this plant, which inhibits

Source: http://www.impgc.com/images/ plantPictures/Achyranthes%20aspera.jpg

Uses of Adhatoda vasica (L.) Nees (Basok)

NIF Database

Uses from West Bengal

- Shikha Samanta, Hooghly, West Bengal ginger is made. This is then used to gurgle. Decoction of the leaves of adhatoda, tulsi and rhizome of

Dried leaves are burnt and the smoke is inhaled Susanta Kumar Manjhi, Birbhum, West Bengal

Cough/cold

Decoction of leaves is administered orally till cured Priyanka Pramanik, Purulia, West Benga

times a day becomes half. This solution is filtered and given orally 2-3 Dried bark (8g) is boiled in 250 ml of water till the solution

- Susanta Kumar Manjhi, Birbhum, West Benga

Uses from other states

Tuberculosis

Juice extracted from the leaves is taken orally along with

- Mahesh Bijarania, Nagor, Rajasthan

Malaria

is added; this is then administered orally Few leaves are boiled in water (250g), filtered and jaggery

Mahesh Kumar Khangar Purohit, Sirohi, Rajasthan

Constipation

Decoction of leaves with honey is given orally to get relief

- Pradip Kumar, Bulandshahar, Uttar Pradesh

Uses in Classical Codified Literature

rub on the body fevers; rheumatic patients should warm the leaves and with honey 3 times a day for 2-4 days to get rid from brown mass is obtained and two spoonfuls are taken leaves (500 g) decocted in 5 litres of water until a dark Decoction of the plant is taken orally to cure asthma?

other plants for treating cough. Ten patents have been and asthma¹². found on its medicinal applications mainly for cough¹¹ 'Diakof', a herbal medicine uses Adhatoda along with effective medicine for women's health concerns. Product 'Menstri Care'10 prepared from the plant is an



Uses of Aegle marmelos (L.) Corr. (Bel)

NIF Database

Uses from West Bengal

General debility

Regular intake of a fruit along with the gum is helpful - Arun Ghosh, Bankura, West Bengal

Stomach disorder

Juice extracted from leaves is given orally along with

- Surjit Singh Sardar, Purulia, West Bengal

Dysentery

spoonful is administered orally adding salt Dried leaves are ground into fine powder and a

Surjit Singh Sardar, Purulia, West Bengal

Use from other states

Eye diseases

are put in the eye Juice is extracted from the green leaves and two drops

- Kumari Nigar Pravin, Hazaribag, Jharkhand

Nasal bleeding

top of the nose Leaves are ground into a paste, which is applied on the

Puran Chand, Kangra, Himachal Pradesh

Diabetes

150ml of the juice extracted from the pounded roots is administered orally

Maibum Lolito Meitei, Bishempur, Manipur

Jaundice

Juice extracted from leaves or fruits is given orally - Ngairangbam Santosh Singh, Imphal East,

WEST BENGAL INNOVATES

Source: http://www.banana-tree.com/catalog%20images/image298.jpg

Menorrhagia

disorder Leaves' paste is administered orally to control the

- Rani B. Bhagat, Pune, Maharashtra

Intestinal worms

 Jagjeet Bahadur, Sitapur, Uttar Pradesh Juice extracted from the green leaves is taken orally

Diarrhoea

Pulp of the ripen fruit is taken

Jagjeet Bahadur, Sitapur, Uttar Pradesh

Veterinary practice

Abdominal pain

Tagetes erecta L., are mixed with fodder and fed to the Leaves of Aegle and Euphorbia neriifolia L., flower of

Dipendra Kumar, East Champaran, Bihar

Uses in Classical Codified Literature

sickness¹³; fruit rind is applied externally on hair to kill headlice14. fruit pulp is given before sleep to overcome morning Burnt fruit pulp is applied for rheumatic arthritis2; 10g

carminative properties. Lukol's4 tonic is made from this used as a medicine to cure a number of diseases. Fiftyon the mucous membrane of the genital system also circulation, and its antimicrobial and astringent actions plant along with other plants. It improves uterine dysentery and GI disorders. It has digestive and applications of Aegle for curing diabetes16, gastric ulcer17 three patents have been found on the medicinal help control leucorrhea. 'Bilwa'15, a product of Aegle is 'Bael'4, prepared from Aegle is used in diarrhoea,

Uses of Bombax ceiba L. (Shimul)

NIF Database

Uses from West Bengal

Pounded bark is applied on pimples

Priyanka Paramanik, Purulia, West Bengal

Blood dysentery

day till cured of the powder is given along with milk to drink twice a Dried gum is ground into a fine powder and half a spoon

- Susanta Kumar Manjhi, Birbhum, West Bengal

Uses from other states

Paste of thorns and milk is applied on the pimples for 7

- Pravin Kumar Sharma, East Champaran, Bihar

on the intected part Fresh bark is ground, mixed with little water and applied

Pravin Kumar Sharma, East Champaran, Bihar

Diarrhoea

along with sugar candy for 4 days A spoonful of the juice extracted from the leaves is given

Neha Kumari, East Champaran, Bihar

Constipation

Bark powder (3g), coriander powder and jaggery are taken with water

- Devaram, Sirohi, Rajasthan

seven days Paste (10g) of the ground roots is taken with water for

Antaryami Pradhan, Angul, Orissa

WESTBENGALINNOVATES | 37

Gynecological disorder

Gum (5g) is ground, mixed with water and administered

Jugeshwar Ram, Hazaribag, Jharkhand

General health

and taken next morning for giving a cooling effect to the Few flowers are soaked in a glass of water overnight

Mukta Kumavat, Sikar, Rajasthan

Uses in Classical Codified Literature

reduce stomachache bark juice is administered 20 diabetics are given decoction of the heartwood¹⁹; to Decoction of the bark is given orally to combat fever¹⁸;

skin eruptions. 'Evecare'4, a multi herb product made menstrual cycle. Eight patents have been found on the from this plant, has a regularizing influence on the medicinal applications of Bombax like for skincare²² Bombax along with other plants to treat pimples and Product 'Acne-n-Pimple Cream'21 is prepared from AIDS²³ etc



Uses of Butea monosperma (Lamk.) Taub. (Palash)

NIF Database

Uses from West Bengal

Poisonous bites

- Priyanka Pramanik, Purulia, West Bengal procera (Ait.) R.Br. and is applied on the affected part Pounded seeds' powder is mixed with latex of Calotropis

Intestinal worms

spoonful of the same is administered orally along with Dried leaves are ground into a fine powder and one

Susanta Kumar Manjhi, Birbhum, West Bengal

Dysentery

ground together and one spoonful of the powder is administered orally for 7 days Gum of palash (5g) and black pepper seeds (7) are

Susanta Kumar Manjhi, Birbhum, West Bengal

Gynecological disorder

Seed powder (5g) is taken orally along with milk

Ambika Singh Sardar, Purulia, West Bengal

Uses from other states

Toothache

Resin powder is filled in damaged gums Bhomabhai Damor, Banaskantha, Gujarat

Cuts & wounds

Juice extracted from bark is applied - Dinesh Bediya, Ranchi, Jharkhand

Poultice made from cooked lukewarm flowers is

tied on stomach

-Madhav Rao Shankar Rao Patil, Jalgaon, Maharashtra

Resin (2g) is taken with cold water

- Pritam Chand, Kangra, Himachal Pradesh

Intestinal worms

Seeds (3-4) are ground in water and given orally Sitaram Bediya, Hazaribag, Jharkhand

Dysentery

Resin (25g) is administered orally

- Thavriben Kateria, Banaskantha, Gujarat

Joint pain

Powdered resin is taken with milk

Devaram, Sirohi, Rajasthan

Skin diseases

Young pods levigated with cow urine are topically applied -Madhav Rao Shankar Rao Patil, Jalgaon, Maharashtra

Uses in Classical Codified Literature

is administered orally as diuretic²⁶ orally to get rid of intestinal worms²⁵, dried flower powder Bark is used as poultice for pimples²⁴; bark juice is given

and improves uterine circulation. 'Hair Loss Cream4' density. Ten patents were found for its medicinal uses improves tensile strength of hair and increases hair 'Lukol4' has a stimulatory action on the endometrium for bone disorders²⁷, skin care²⁸ etc.

Source: http://www.plantcreations.com/ images/Butea_monosperma_amazing.jpg

Uses of Ficus benghalensis L. (Bot)

NIF Database

Uses from West Bengal

Leaves are burnt into ash and coconut oil is added to form a paste. This paste is topically applied

Priyanka Paramanik, Purulia, West Bengal

Bark is ground and mixed with water to make a paste Lukewarm paste is smeared on the site of the sprain Arun Ghosh, Bankura, West Bengal

Heel crack

- Priyanka Pramanik, Purulia, West Bengal

Uses from other states

Decoction of bark along with little salt is administered

- Sohanlal Chhipa, Jhalor, Rajasthan

Whooping cough

taken orally Bark is ground into a fine paste and one spoonful is

- Priyanka Kumari, West Champaran, Bihai

Stomachache

Warmed leaves are tied on the stomach to get relief from

- Gajanand Maharaj, Jaipur, Rajasthan

Backache

Latex mixed with mustard oil is massaged on the aching

Chen Singh Charan, Nagor, Rajasthan

overnight and boiled till the decoction remains 1 litre. Half a litre of mustard oil is added, the solution is mixed and Crushed leaves (30-40) are soaked in water (4litres) filtered. This solution is applied topically

- Randhir Kumar, Hazaribag, Jharkhand

Uses in Classical Codified Literature

Diabetics should take aerial roots' paste mixed with salt after filtering once a day in the morning for 8 days²⁹; decers³⁰; latex is given orally to cure bronchitis³¹. coction of plant is applied externally on wounds and ul-

- sunburns, nappy rash etc. 'Litina'33, a herbal toothpaste made from this plant along with other plants, is good for wound healing³⁵ etc. medicinal applications of *Ficus* for antitumor³⁴ medication the gums and the teeth. Four patents have been found on in many skin ailments such as acne marks, pimples, burns multiherbal ayurvedic preparation using Ficus, is effective plant in combination with other plants is used to keep hair 'Anti-Dandruff shampoo'4 a product prepared from this healthy and dandruff free. Product 'KLD Lotion'32, a



Uses of Holarrhena antidysenterica Wall. (Kurchi)

NIF Database

Uses from West Bengal

Liver disorder

Decoction of the bark is administered orally

- Priyanka Pramanik, Purulia, West Bengal

Diarrhoea/dysentery

Juice extracted from bark is administered orally

- Ambika Singh Sardar, Purulia, West Bengal

Intestinal worms

Juice from the pounded leaves is taken orally to kill

- Ambika Singh Sardar, Purulia, West Bengal

Uses from other states

decoction remains 10ml. This is then taken orally till Leaves (5g) along with those of *Picrorhiza kurroa* Royale ex. Benth. (5g) are boiled in 100ml of water till the

- Hariom Kumar, East Champaran, Bihar

Bark is ground in water; some quantity is taken orally and the rest is applied on the body

Devaram, Sirohi, Rajasthan

- Chandan Kumar, East Champaran, Bihar spoonful is taken orally to combat the disease Equal amount of leaves of kurchi and Cyperus rotundus L. are ground into a fine powder. One

along with a spoonful of honey Paste is prepared from the bark. 10g of the paste is given

- Kundan Kumar, East Champaran, Bihar

Kidney stone

Juicy paste of the bark is mixed with sour ghee and is

- Robert L. Hnamte, Aizawl, Mizoram

Anemia

Paste of bark is mixed with salt and is taken orally

Robert L. Hnamte, Aizawl, Mizoram

Skin disease

and is taken orally Dried bark is powdered, mixed with ghee and honey,

Robert L. Hnamte, Aizawl, Mizoram

Uses in Classical Codified Literature

swelling on poisonous bites³⁷ seeds are ground into a powder, a dose of 5-10g of the powder is given with water as an antidote and a paste of Dried bark powder is given orally to cure stomachache³⁶, the seeds is also applied locally to relieve pain and

and Kutajavaleha'38 are the most popular preparations problems. used in diarrhoea, dysentery, colitis and bleeding 'Diarex vet'4 is used for diarrhoea in cattle. 'Kutajarista

Thirteen patents have been found on its medicinal applications mainly for gastrointestinal disorders³⁹.

pcat-gifs/products-small/kudsappalai.jpeg Source: http://www.motherherbs.com/

Uses of Kalanchoe pinnata (Lam.) Pers. (Patharkuchi)

NIF Database

Uses in Classical Codified Literature

Uses from West Bengal

Eye pain

Two drops of the juice extracted from the leaves are put in the eyes

- Susanta Kumar Manjhi, Birbhum, West Bengal

Stomach disorder

Two spoonfuls of the juice extracted from the leaves are given orally

- Susanta Kumar Manjhi, Birbhum, West Bengal

Cuts & wounds

Topical application of leaves' paste helps in stopping bleeding

- Arun Ghosh, Bankura, West Bengal

Pain

Leaves' paste is applied on the aching part - Priyanka Pramanik, Purulia, West Bengal

Uses from other states

Jaundice

Juice of leaves along with black pepper powder is given till cured

- Arunkumar Pandey, Fatehpur, Uttar Pradesh

rever

Juice of leaves along with black pepper powder is given orally

- Arunkumar Pandey, Fatehpur, Uttar Pradesh

Diarrhoea

Leaves (5-6) are ground along with some sugar candy and sap obtained is administered orally

- Bikesh Kumar, Sitamarhi, Bihar

WEST BENGAL INNOVATES 41

Plant paste is applied on forehead to alleviate headache⁴⁰, leaves' paste is applied externally to cure cuts and wounds⁴¹; fresh sap of plant is used for eye diseases⁴².

Product 'Regenerating Day Cream'⁴³ a multiherbal medicine enhances skin's tone and elasticity, helping to smooth wrinkles and fine lines. Five patents have been found on medicinal applications of *Kalanchoe* as an anti-obesity⁴⁴ medication.



Uses of Nyctanthes arbor-tristis L. (Shiuli)

NIF Database

Uses from West Bengal

Cough/cold

along with honey or ginger juice Two spoonfuls of the juice of leaves is administered orally

Susanta Kumar Manjhi, Birbhum, West Bengal

Juice of leaves is administered orally to cure fever - Susanta Kumar Manjhi, Birbhum, West Bengal

Uses from other states

Seeds are crushed in water and the paste is applied on

- Rani B. Bhagat, Pune, Maharashtra

Cough/cold

and is taken orally with water Paste is prepared using three leaves and black pepper

- Ashok Kumar Yadav, East Champaran, Bihar

juice, which is given to drink thrice a day Leaves (6-7), along with ginger, are crushed to extract

Rani B. Bhagat, Pune, Maharashtra

Two leaves of shiuli, neem, three black pepper and cooled and given orally and boiled till half a cup of residue remains. This is four leaves of tulsi are ground in half litre of water

Arjun Singh, Bharatpur, Rajasthan

- Rani B. Bhagat, Pune, Maharashtra Oral intake of leaves' juice kills the worms Intestinal worms

- Shama Pravin, Gopalganj, Bihar Decoction of the leaves is taken orally for 40 days

- Ranjeet Kumar, Sheohar, Bihar Topical application of leaves' paste gives relief

alleviate pain Fresh leaf paste is applied on the fractured part to

Ramsharan Dhruv, Dhamtari, Chhattisgarh

Uses in Classical Codified Literature

Dried fruits are used orally to get relief from cough45, anti-fertility agent in females46; leaf juice is applied decoction of dried flowers is given with jaggery as an externally on ringworm and other skin diseases46

'Lupin'47, is a medicine used for pain and inflammation property as a dye49 patents have been found on its medicinal uses such as associated with musculoskeletal and joint disorders. Six for treating Leishmaniasis48 and also for its natural

Uses of Phyllanthus emblica L. (Amlaki)

NIF Database

Uses from West Bengal

Hair Tall

Fruit is ground and mixed with coconut oil. This is applied on scalp

Surjit Singh Sardar, Purulia, West Benga

Abscess

Fruit is ground into a fine paste and is applied on abscess - Ambika Singh Sardar, Purulia, West Bengal

Diabetes

Regular intake of fruit combats diabetes - Shiuli Mahato, Purulia, West Bengal

Urinary disorder

Juice extracted from unripe fruit is taken orally along with some sugar candy

- Surjit Singh Sardar, Purulia, West Bengal

Uses from other states

Diabetes

Equal amounts of amla, Terminalia chebula Retz., Terminalia bellirica Roxb. are ground into a fine powder. Two spoonfusl of this powder are given orally - Pritam Chand, Kangra, Himachal Pradesh

Diarrhoea

Juice of amla, with an equal quantity of lemon juice, is administered orally

- Bina Chaudhry, Kamrup, Assam

Jaundice

Equal amounts of amla fruit, ginger, black pepper and turmeric are ground into a fine powder. One tea-spoonful of this powder is given with honey

- Nagarmal Bagaria, Nagor, Rajasthan

WESTBENGALINNOVATES | 43

vounds

Pounded leaves are applied on wounds - Sevaram Bhaskar, Dhamtari, Chhattisgarh

Gynecological disorder

Equal amounts of amla, tapioca and cumin are ground into a fine powder. One spoon of the powder is given orally to cure the disorder

- Guna Ram Kanikar, Golaghat, Assam

Uses in Classical Codified Literature

Bark and fruits are used in diarrhoea and dysenterysofresh juice of the fruit, mixed with pure cow's butter and honey, is administered to cure obstinate hiccoughsoftic relieves pain in urine troublesofting, pulp (2-3g) is eaten with warm milk to get rid of headachest powder of seeds after mixing with ghee is applied on the head to stop nasal bleedings fruits are taken orally to reduce aciditysic decoction of the fruit is taken to increase blood counts.

Phyllanthus is one of the main ingredients of well known medicines 'Triphala, Chavanprash and Amla hair oil'⁴. Seventy-six patents have been found on its medicinal uses such as for diabetes⁵⁴, liver disorders and immune deficiencies⁵⁵.



Uses of Tinospora cordifolia (Willd.) Miers ex Hk. f. & Th. (Gulancho)

NIF Database

Uses from West Bengal

Warmed juice is taken orally twice a day for 8-10 days Juice extracted from stem (10g) is mixed with little water.

- Susanta Kumar Manjhi, Birbhum, West Bengal

overnight. The next morning the same water is given to Stem (8 inch long) is soaked in a cup of water and left

- Susanta Kumar Manjhi, Birbhum, West Bengal

Diabetes

morning empty stomach Juice extracted from stem is administered orally in the

Subhjyoti Chatterjee, Burdwan, West Benga

Intestinal worms

Oral intake of leaves juice kills worms

Susanta Kumar Manjhi, Birbhum, West Bengal

Uses from other states

Stem of the plant (250g) is boiled in water along with green gram (250g) and sesame oil (250ml) till half of the decoction remains and then applied on the

 Stedimon Arackal Paul, Port Blair, Andaman & Nicobar Island

administered orally with honey for 40-42 days Juice is extracted from the leaves and two spoonfuls are

Ramabandhu Mahajan, Jalgaon, Maharashtra

Diabetes

Fresh leaves (1-2) are taken empty stomach

- D. K. Phukan, Guwahati, Assam

administered orally to the patient thrice a day for 3-5 paste. Tablets are then prepared and one tablet is Whole plant (50g) is boiled, dried and ground into a fine

Pukhram Angouba Singh, Bishnupur, Manipur

Uses in Classical Codified Literature

powdered plant is administered orally with honey to get relief from stomach disorder⁵⁷; the stem is bitter and is Powdered roots are taken to treat mouth ulcers6, orally to cure diarrhoea58 used as an anthelmintic²⁶; decoction of the plant is given

applications such as an antiallergic⁵⁹, for cancer⁶⁰ etc. plants with brand names 'Geriforte, Diabecon4' etc. More cure a number of diseases in combination with other than hundred patents have been found on its medicinal Tinospora is a well known medicinal plant and used to

Source: SRISTI database

Uses of Vitex negundo L. (Nishinda)

NIF Database

Uses from West Bengal

Oozing from ear

Few drops (3-4) of warmed juice of leaves is put in the

- Susanta Kumar Manjhi, Birbhum, West Benga

orally everyday A spoonful of the juice extracted from the leaves is taken

Arun Ghosh, Bankura, West Benga

Diabetes

the morning empty stomach from the powder. Two tablets are administered orally in roseus (L.) Don. are ground and tablets (5g) prepared Equal amounts of leaves of vitex, neem and Catharanthus

Susanta Kumar Manjhi, Birbhum, West Bengal

Uses from other states

Rheumatism

Lukewarm leaves are put on aching joints

Naganath Durga Chogule, Sholapur, Maharashtra

Lumbago

affected area Juice extracted from fresh leaves is massaged on the

Maharashtra Shreenand B. Dandekar & Meera Dandekar, Ratnagiri,

Ear pain

used as an ear drop Leaves are boiled in mustard oil, oil is then filtered and

Bhagat Ram, Kangra, Himachal Pradesh

Muscular pain

applied on the affected part Leaves are smeared with mustard oil, lukewarmed and

Savita Kumari, Gopalganj, Bihar

Skin disease

on the affected skin Small pieces of plant, mixed with cow's urine, are applied

K. Lakshmana Shetty, South Karana, Karnataka

Veterinary practice

Wound

Leaves' paste is applied topically on wound

Nageshwari Devi, Hazaribag, Jharkhand

Uses in Classical Codified Literature

of diarrhoea flowers are used26; extract of the plant is taken as a diuretic². Leaves' smoke is inhaled to get rid from cough2; in case

pain, relieves oedema. Thirty-five patents were found on the medicinal applications like for rheumatic 'Atharva Nirgundi Siddha Tail'61 is useful in arthritis, join: prevents toothache, decay and controls bad breath and reduces swelling of gums, stops gum bleeding, backache, muscular sprain and joint pain. 'Dental Cream'4 is a specially formulated toothpaste that tightens arthritis⁶² 'Muscle & joint rub", is a highly effective medicine for



Herbal Formulations for Healthy Crops

SRISTI SHASTRA

vegetative growth, without being harmful to nature as well as human being. It also controls sucking pests like white fly, heliothis, aphid etc. Gujarat. It flourishes the growth of the plant by increasing flowering as well as fruiting besides overall Arkhiben Vankar, Ranabhai Kamaliya, Banidan Gadhvi, Gemal Rana, Rajnikant Patel, Ahmadbhai Kadivala,

SRISTI KRUSHAK

Popatbhai Rupabhai Jambucha, Gujarat

increases the vigor of the plants by increasing its overall growth. It is an excellent remedy for leaf curl disease, which not only controls the disease but simultaneously

SRISTI SURAKSHA

Community Knowledge, Gujarat

on the vegetation to repel termites. flow of irrigation water. In some cases it is also drenched in the affected part of the plant as well as sprayed the herbal formulation is mixed with sand and is spread in the field, some times it is released in field with the It is a very efficient treatment for termite and acts as a vitaliser to the affected crops. To control termites

SRISTI PRAYAS

Community Knowledge, Gujarat

enables them to withstand extreme weather conditions. Constant use of this formulation not only increases as well as increases the overall growth of the plant. This formulation strengthens the plants internally and the yield but also reduces the toxic contents in our daily diet. It is a highly effective formulation to act as a herbal growth promoter, which also stops shedding of flowers


SRISTI SHAKTI

Community Knowledge, Gujarat


environment. A herbal growth promoter, which helps in production of excellent quality organic food grain. Constant use of this formulation not only increases the yield but also reduces the toxic contamination in our food and

Hyderabad, Andhra Pradesh. The benefits are shared with the knowledge providers, communities, nature Sanshodhan Laboratory (www.sristi.org). These products are licensed to Matrix Biosciences Pvt. Ltd. These formulations are based on traditional knowledge of farmers and developed by Sadbhav-SRIST

those who add value and other stakeholders in the knowledge and value chain.







Herbal Formulations for Livestocks and Poultry

Coccicure

Sudakarbhai K. Gauli & Jeevalbhai M. Gauli, Dang, Gujarat

various Eimeria species. The primary function of the medication is to reduce the oocytes maturation and affects the life cycle of It is a unique herbal medication for prevention and curing of Coccidiosis (Eimeria sp infections) in Poultry.

Poultmax

Community knowledge, Valsad, Dang, Gujarat

conjunctivitis, nasal sputum, drop in egg production and respiratory distress in poultry. About 30g/100 birds before & three days after expected stress. tor 0-4 weeks & 60g/100 birds for 4-8 weeks may be administered for seven days in stress or for three days It is a unique herbal medication for promoting poultry immunity. It cures symptoms like greenish diarrhoea

Mastiherb

Ukhardiyabhai S. Raot, Dang, Gujarat

efficacy of the medication over subclinical mastitis; clinical mastitis & chronic mastitis. It was also validated infusion for minimum 3 days after adequate standardization. in case of mastitis due to Staphylococcus aureus. The dose rate was found to be single intra mammary Mastiherb is a unique intramammary herbal medication for curing mastitis in animals. Clinical trials indicated

Sanshodhan Laboratory (www.sristi.org). These products are licensed to Matrix Biosciences Pvt. Ltd, Hyderabad, Andhra Pradesh. The benefits are shared with the knowledge providers, communities, nature These formulations are based on traditional knowledge of farmers and developed by Sadbhav-SRIST

WEST BENGAL INNOVATES

those who add value and other stakeholders in the knowledge and value chain.

